



# 2013 Boulder Valley School District Middle School

Youth Risk Behavior Survey (YRBS)  
Process and Data Tables



# Table of Contents

## Introduction

Conducting the 2013 YRBS.....	1
Boulder County 2013 YRBS Results Comparability .....	2
2013 Boulder County YRBS Data Tables .....	3
Boulder Valley School District 2013 YRBS Sample Middle School Data Table .....	3
Using the YRBS.....	3

## Demographics

Demographics.....	4
-------------------	---

## Safety

Table 1. Among students who ride a bicycle, the percentage who never or rarely wear a bicycle helmet .....	4
Table 2. Percentage of students who never/rarely wear a seat belt while riding in a car .....	4
Table 3. Percentage of students who ever rode in a car driven by someone who had been drinking alcohol .....	4

## Bullying

Table 4. Percentage of students who had ever been electronically bullied .....	5
Table 5. Percentage of students who had ever been bullied on school property .....	5

## Violence

Table 6. Percentage of students who have ever carried a weapon.....	5
Table 7. Percentage of students who have ever been in a physical fight.....	5

## Mental Health

Table 8. Percentage of students who felt so sad or hopeless almost every day for 2 weeks or more in a row that they stopped doing some usual activities during the past 12 months.....	6
Table 9. Percentage of students who ever seriously thought about killing themselves.....	6
Table 10. Percentage of students who ever made a plan about how they would kill themselves.....	6
Table 11. Percentage of students who ever tried to kill themselves.....	6

## Tobacco

Table 12. Percentage of students who ever tried cigarette smoking, even 1 or 2 puffs .....	7
Table 13. Percentage of students who had their first whole cigarette before the age of 11 .....	7
Table 14. Percentage of students who smoked cigarettes on 1 or more of the past 30 days .....	7
Table 15. Percentage of students who smoked cigarettes on 20 or more of the past 30 days .....	7
Table 16. Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days .....	8
Table 17. Among students who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days .....	8
Table 18. Percentage of students who ever smoked cigarettes daily, that is, at least 1 cigarette every day for 30 days .....	8
Table 19. Percentage of students who felt it would be sort of easy/very easy to get cigarettes if they wanted .....	8
Table 20. Percentage of students who used chewing tobacco, snuff, or dip on 1 or more of the past 30 days .....	9
Table 21. Percentage of students who smoked a cigar, cigarillo, or little cigar during the past 30 days .....	9
Table 22. Percentage of students who smoked cigarettes or cigars, used chewing tobacco, snuff, or dip on 1 or more of past 30 days .....	9
Table 23. Percentage of students who think people who smoke 1 or more packs of cigarettes per day have a moderate/great risk of harming themselves.....	9
Table 24. Percentage of students who think their parents would feel it is wrong/very wrong if they smoked cigarettes .....	10

## Alcohol

Table 25.	Percentage of students who had ever had a drink of alcohol, other than a few sips .....	10
Table 26.	Percentage of students who had their first drink of alcohol other than a few sips before age 11 years .....	10
Table 27.	Percentage of students who began drinking alcohol regularly (at least once or twice per month) before the age of 11 years.....	10
Table 28.	Percentage of students who had at least one drink of alcohol on 1 or more of the past 30 days.....	11
Table 29.	Percentage of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on 1 or more of the past 30 days .....	11
Table 30.	Percentage of students who think a typical student drank 1+ days in the past 30 days .....	11
Table 31.	Percentage of students who think a typical student binge drank 1+ days in the past 30 days.....	11
Table 32.	Percentage of students who feel it would be sort of easy/very easy to get alcohol if they wanted .....	12
Table 33.	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days .....	12
Table 34.	Percentage of students who usually drank in a public setting, on school property, or riding in a car of all students who drank in past 12 months .....	12
Table 35.	Percentage of students who think people who have 1 or 2 drinks nearly every day have moderate/great risk of harming themselves .....	12
Table 36.	Percentage of students who think people who binge drink each weekend have moderate/great risk of harming themselves.....	13
Table 37.	Percentage of students who think it is wrong/very wrong for someone their age to drink alcohol regularly (once or twice a month) .....	13
Table 38.	Percentage of students who think their parents would feel it would be wrong/very wrong if they drank alcohol regularly (once or twice a month) .....	13

## Marijuana

Table 39.	Percentage of students who ever used marijuana .....	13
Table 40.	Percentage of students who tried marijuana for the first time before age 11 years.....	14
Table 41.	Percentage of students who used marijuana 1 or more times during the past 30 days.....	14
Table 42.	Percentage of students who feel it would be sort of/very easy to get marijuana if they wanted.....	14
Table 43.	Percentage of students who think people who use marijuana once or twice have moderate/great risk of harming themselves.....	14
Table 44.	Percentage of students who think people who use marijuana regularly have moderate/great risk of harming themselves.....	15
Table 45.	Percentage of students who think it is wrong/very wrong for someone their age to use marijuana .....	15
Table 46.	Percentage of students who think their parents would feel it would be wrong/very wrong if they used marijuana .....	15

## Other Drugs

Table 47.	Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high.....	15
Table 48.	Percentage of students who ever took a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax ) without a doctor's prescription .....	16
Table 49.	Percentage of students who talked with parent about substance dangers during the past 12 months .....	16

## Advertising (tobacco, alcohol, or other drugs)

Table 50.	Percentage of students who heard, read, or watched an advertisement about <i>preventing</i> tobacco, alcohol, or other drug use sometimes or a lot in past 12 months .....	16
Table 51.	Percentage of students who heard, read, or watched an advertisement about <i>promoting</i> tobacco, alcohol, or other drug use sometimes or a lot in past 12 months .....	16

## Body Weight

Table 52.	Percentage of students who described themselves as slightly or very overweight.....	17
-----------	---	----

Table 53. Percentage of students who were trying to lose weight ..... 17

**Food and Drink**

Table 54. Percentage of students who ate fruit 1+ times per day in the past seven days ..... 17  
Table 55. Percentage of students who ate fruit 2+ times per day in the past seven days ..... 17  
Table 56. Percentage of students who ate vegetables 1+ times per day in the past seven days ..... 18  
Table 57. Percentage of students who ate vegetables 2+ times per day in the past seven days ..... 18  
Table 58. Percentage of students who drank a can, bottle, or glass of soda or pop 1 or more times per day during the  
past seven days..... 18  
Table 59. Percentage of students who ate breakfast on all of the past seven days..... 18

**Physical Activity**

Table 60. Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 of the past 7 days ..... 19  
Table 61. Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of  
the past 7 days..... 19  
Table 62. Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past 7 days ..... 19  
Table 63. Percentage of students who watched TV three or more hours per day on an average school day ..... 19  
Table 64. Percentage of students who played video or computer games or used a computer for something that was  
not school work three or more hours per day on an average school day ..... 20  
Table 65. Percentage of students who had screen time for three or more hours per day on an average school day ..... 20  
Table 66. Percentage of students who attended physical education (PE) classes on one or more days in an average week  
when they were in school..... 20  
Table 67. Percentage of students who played on 1 or more sports teams during the past 12 months..... 20

**Healthcare Access and Behavior**

Table 68. Percentage of students who had ever been taught in school about AIDS or HIV infection..... 21  
Table 69. Percentage of students who had ever been told by a doctor or nurse that they had asthma ..... 21  
Table 70. Percentage of students who described their grades as mostly A's or B's over the past 12 months..... 21  
Table 71. Percentage of students who participate in extracurricular activities ..... 21

**School**

Table 72. Percentage of students who think it is important to go to college..... 22  
Table 73. Percentage of students who feel things they are learning in school now are going to be very/quite important later in life .... 22

## 2013 Boulder County Middle School Youth Risk Behavior Survey (YRBS) Process and Data Tables

The Youth Risk Behavior Survey (YRBS) was developed by the Centers for Disease Control and Prevention (CDC) to monitor health-risk behaviors among youth. Since 1991, state and local health departments and education agencies have used the YRBS to support the shared goal of healthy, educated youth who become healthy, successful adults. Boulder County Public Health (BCPH), Boulder County Healthy Youth Alliance (HYA), Boulder Valley School District (BVSD), and St. Vrain Valley School District (SVVSD) have collaborated to implement the YRBS biennially since 2001. Boulder County YRBS procedures based on CDC protocol yield local rates of health-risk and health-promoting behaviors, as well as trends over time. Survey results inform the development of effective school and community programs to reduce youth risk behaviors and encourage health, safety, and academic achievement.

### Conducting the 2013 YRBS

In 2013, to strengthen the YRBS in Colorado, the Colorado Departments of Education, Public Health and Environment, and Health and Human Services undertook and funded a statewide, unified survey initiative – the Healthy Kids Colorado Survey (HKCS). References to “state” below refer to the three collaborating organizations and their subcontractors. Boulder County partnered with this state coalition in its inaugural YRBS-HKCS administration, which entailed modifying the Boulder County YRBS process. Previously, Boulder County staff implemented the YRBS in-house. In 2013, the state and its contractors conducted the highly technical YRBS analytic and statistical work. Beyond institutional role shifts, complexity of the Boulder County process increased as sampling, instruments, proctoring, analysis, and reporting were adjusted to coincide with the state process.

### Sample selection

State sampling methods called for fewer Boulder County schools to participate in 2013 than did in the past with local methods. In SVVSD, rather than surveying nine high schools as in the past, four high schools were surveyed in 2013. Consistent with previous participation, SVVSD excluded middle schools. In BVSD, the 2013 state sample included 4 high schools and 3 middle schools; however, by district request, all 9 high schools and all 15 middle schools in BVSD were surveyed in 2013. All surveyed schools chose a day and class period in October or November 2013 for administration. At each school, classrooms were randomly selected to be surveyed. This yielded 62 SVVSD grade 9-12 classrooms, 79 BVSD grade 9-12 classrooms, and 38 BVSD grade 7-8 classrooms. Letters were mailed to the parents of each student in the selected classrooms to inform them of the survey, student selection, and how to opt out of the survey via phone, mail, or online. In all, 2,992 high school and 902 middle school surveys were completed, yielding excellent response rates of 81.6% in SVVSD high schools, 85.5% in BVSD high schools, and 91.6% in BVSD middle schools. Thus, in Boulder County, fewer schools were sampled, different sampling frames were used, and more students completed surveys than previously. The 2013 results are still representative at the district and county levels, and the smaller state BVSD sample will be compared to the full BVSD sample to guide future sampling.

### Survey instruments

The 2013 survey booklet integrated questions and response options, a change from the previous local format of a survey packet with a separate response sheet. As in the past, survey instruments were designed to be completed within a standard class period (45 minutes) and were available in English and Spanish. The Boulder County YRBS historically consisted of one high school instrument and one middle school instrument. In 2013, the unified state process used two different instruments to collect high school data; within each high school classroom, students randomly received one or the other. The rationale for two instruments is to collect responses on more questions without increasing the number of students taking the survey or the number of questions on an individual survey. Boulder County High School Instrument A consisted of 121 questions; Instrument B had 117 questions, including longstanding local questions not included on state modules. The 2013 middle school survey was expanded to include all questions previously asked in Boulder County, as well as new statewide questions; 71 questions in all. Consequently, the 2013 results include 97 new high school data tables and 41 new middle school data tables.

## In-classroom survey administration

Students were surveyed during regular class time. Survey procedures were designed to protect student privacy by enabling anonymous and voluntary participation. In the past, volunteers proctored the Boulder County YRBS, with teachers asked only to address disruptions and to verify that opted-out students did not take the survey. In contrast, 2013 state protocol called for teachers to proctor the survey, eliminating the need to recruit, train, and coordinate volunteers. Volunteer proctors received in-person training and written instructions; teachers received printed instructions.

## Data analysis

Using statistical software, the state calculated prevalence estimates and 95% confidence intervals for each behavior. High response rates enabled the data to be weighted by grade, gender, and race/ethnicity so that results are representative of the entire population from which the sample was selected, not just surveyed students. While 2013 analysis mirrored CDC and previous local analysis to the greatest extent possible, analysis was slightly modified, especially when historic methods would have excluded excessive numbers of surveys or responses. For instance, unlike in past years, in 2013 missing necessary variables (i.e. grade, gender, race/ethnicity) were replaced with substituted values. Additionally, scannable answer sheets with graphics or patterns were previously excluded, a step eliminated by the state's 2013 integrated question-and-answer booklets.

## Data display

Boulder County 2013 results are displayed similarly to past results with some minor differences. Previous brief table titles were replaced in 2013 by titles including full question wording. The high school sexual orientation label *LGBQ* (i.e. lesbian, gay, bisexual, questioning) now reads *LGB or Questioning* (see Demographics Table note).

## Context

Boulder County students were surveyed 6 to 8 weeks after the disastrous September 2013 floods. Many YRBS questions probe behavior in the previous 30 days, days in which many youth were adjusting to a new reality.

## Boulder County 2013 YRBS Results Comparability

The comparison to results within the same administration year, to previous years, and to other geographies are intended to be general observations only. Statistically significant differences cannot be inferred due to differences in survey methodology. Middle school and high school results are not comparable because question scope, wording, and response options vary. Boulder County middle school results include grades 7 and 8 only, so they are not comparable to Colorado or national middle school results, which include grades 6, 7, and 8. While effort was made to align with CDC protocol and past Boulder County processes, the shifts in roles, methodology, and environment may have impacted 2013 results, which differ from previous results in three ways:

- 1) There are some large and unexpected changes in prevalence rates. In general, risk behavior prevalence tended to be lower than in the past, yet preventive behavior prevalence tended to be higher than in the past.
- 2) Compared to previous years, 2013 confidence intervals are broader in high school results and narrower in middle school results.
- 3) Using confidence intervals to identify statistically significant differences by subpopulation and over time, in 2013 there are fewer differences between subpopulations and from one year to the next in high school and more in middle school.

In sum, 2013 data may not be directly comparable to earlier data, may present anomalies, and may offer new baselines.

That said, the unified survey increases consistency and comparability of our local results with those across Colorado and the United States (see [www.healthykidscolo.org](http://www.healthykidscolo.org) for Colorado data and methods and [www.cdc.gov/HealthyYouth/yrbs](http://www.cdc.gov/HealthyYouth/yrbs) for national data and methods). The new unified system provides much more precise information by including roughly 300 schools and 40,000 students in the statewide sample. This quantity of data yields results that can represent Colorado, its health statistics regions, individual counties, and school

districts. Because methods are consistent and data are collected statewide, we can now better compare our district and county high school student data to that of their regional and statewide peers within any one administration year to determine whether Boulder County’s situation improved, worsened, or remained the same relative to other geographies in the same year. Further, state capacity to analyze, interpret, and share this public resource is greater than our local capacity. The state partnership is a means to more sophisticated systems for accessing and disseminating results, which increases the likelihood of positive impact on youth. In 2013, as always, the goal was integrity and innovation in the process and the product at the local and state levels. The results, snapshot estimates of population-level behavior, can be used to make general observations and as soft guidance, supplemented with other sources of information and expertise.

## 2013 Boulder County YRBS Data Tables

Data from the 2013 Boulder County YRBS for each school district, as well as data in a combined Boulder County format for high schools, are posted at [www.BoulderCountyYRBS.org](http://www.BoulderCountyYRBS.org). Data are presented by grade, gender, and race/ethnicity (i.e. Hispanic, white non-Hispanic, or other non-Hispanic). Data about sexual orientation (i.e. heterosexual or lesbian, gay, bisexual, or questioning) are reported at the high school level. The results are generalizable to the entire population (either school district or county) from which each sample was selected.

A sample data table appears below. Data in the tables are prevalence estimates. Prevalence estimates have been replaced by “\*\*\*\*” where numbers were unreportable for statistical or confidentiality reasons and “---” when data analysis was not completed for the specified category for confidentiality reasons or because the question was not asked. Also included to the right of each prevalence estimate are 95% confidence intervals. These intervals indicate the range in which the actual prevalence (when generalized from the sample to the survey population) was likely to fall. The size of confidence interval reflects the certainty of the accuracy of the estimate. Larger confidence intervals reflect less certainty, and smaller confidence intervals reflect greater certainty. Confidence intervals may be used to determine the statistical significance of differences in observed results. Confidence intervals that do not overlap indicate that the difference in estimates is statistically significant.

## Boulder Valley School District 2013 YRBS Sample Middle School Data Table

Health Behavior		Prevalence Estimate					
Table 61. Percentage of students who were physically active for a total of at least 50 minutes per day on five or more of the past seven days		Female		Male		Total	
Group	Category	%	CI**	%	CI**	%	CI**
Grade	7th	65.6	63.0 - 68.1	79.1	77.0 - 81.0	72.2	70.6 - 73.8
	8th	76.7	74.4 - 78.7	75.5	73.3 - 77.5	76.1	74.5 - 77.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	78.4	77.2 - 79.6
	Hispanic	--	--	--	--	59.4	56.4 - 62.4
	Other non-Hispanic	--	--	--	--	69.5	64.0 - 74.5
<b>Total</b>		70.8	69.0 - 72.5	77.3	75.9 - 78.8	74.1	72.9 - 75.2

\*\* 95% confidence interval  
 -- Not available

## Using the YRBS

YRBS data are a catalyst for the community process that addresses health and well-being of Boulder County youth. YRBS data are also an evaluative tool to monitor the progress of school- and community-based strategies implemented to improve and/or maintain the health of our youth. The data tell us what youth are doing; it is up to the community to create change and positively impact our youth.

To view YRBS quick facts, survey instruments, reports, and presentations, visit [www.BoulderCountyYRBS.org](http://www.BoulderCountyYRBS.org).

Demographics		Demographics %
<b>Gender</b>		
Female		49.9
Male		50.1
<b>Grade</b>		
7 <sup>th</sup>		55.1
8 <sup>th</sup>		45.0
<b>Race/Ethnicity</b>		
White non-Hispanic		77.2
Hispanic		15.3
Other non-Hispanic		7.5

**Table 1. Among students who ride a bicycle, the percentage who never or rarely wear a bicycle helmet**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	24.6	22.2	- 27.2	24.0	21.7	- 26.4	24.3	22.7	- 25.9
	8th	28.7	26.3	- 31.3	34.2	31.8	- 36.8	31.6	29.9	- 33.4
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	20.7	19.5	- 22.0
	Hispanic	--	--	--	--	--	--	52.9	49.9	- 55.9
	Other non-Hispanic	--	--	--	--	--	--	37.4	31.9	- 43.3
<b>Total</b>		26.5	24.8	- 28.3	29.1	27.4	- 30.8	27.8	26.7	- 29.0

\*\* 95% confidence interval  
 -- Not available

**Table 2. Percentage of students who never/rarely wear a seat belt while riding in a car**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	***	***	- ***	1.1	0.7	- 1.7	1.4	0.9	- 2.0
	8th	1.1	0.7	- 1.8	4.9	3.6	- 6.5	3.1	2.4	- 4.0
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	1.4	1.1	- 1.9
	Hispanic	--	--	--	--	--	--	3.7	2.4	- 5.8
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		1.4	0.9	- 2.1	3.0	2.3	- 3.9	2.2	1.8	- 2.7

\*\* 95% confidence interval  
 \*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%  
 -- Not available

**Table 3. Percentage of students who ever rode in a car driven by someone who had been drinking alcohol**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	13.2	11.3	- 15.4	9.3	8.1	- 10.8	11.3	10.1	- 12.6
	8th	20.9	19.0	- 22.9	20.7	18.7	- 22.9	20.8	19.4	- 22.2
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	14.8	13.8	- 15.8
	Hispanic	--	--	--	--	--	--	20.8	18.2	- 23.7
	Other non-Hispanic	--	--	--	--	--	--	19.2	14.9	- 24.5
<b>Total</b>		16.9	15.5	- 18.4	15.1	13.9	- 16.4	16.0	15.1	- 16.9

\*\* 95% confidence interval  
 -- Not available

**Table 4. Percentage of students who had ever been electronically bullied\***

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	32.3	29.8	- 35.0	12.9	11.2	- 14.8	22.6	21.0	- 24.3
	8th	34.5	32.0	- 37.0	17.0	15.1	- 19.1	25.5	23.9	- 27.1
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	22.4	21.1	- 23.6
	Hispanic	--	--	--	--	--	--	27.3	24.4	- 30.5
	Other non-Hispanic	--	--	--	--	--	--	18.7	14.9	- 23.2
<b>Total</b>		33.4	31.6	- 35.2	14.9	13.6	- 16.4	24.0	22.9	- 25.2

\* Includes via email, chat rooms, instant messaging, websites or text messaging

\*\* 95% confidence interval

-- Not available

**Table 5. Percentage of students who had ever been bullied on school property**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	44.0	41.5	- 46.6	32.1	30.1	- 34.2	38.0	36.3	- 39.8
	8th	48.7	46.1	- 51.2	47.4	44.8	- 50.1	48.0	46.2	- 49.9
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	44.9	43.5	- 46.3
	Hispanic	--	--	--	--	--	--	36.4	33.4	- 39.5
	Other non-Hispanic	--	--	--	--	--	--	28.4	23.2	- 34.1
<b>Total</b>		46.3	44.5	- 48.1	39.8	38.1	- 41.5	42.9	41.7	- 44.2

\*\* 95% confidence interval

-- Not available

**Table 6. Percentage of students who have ever carried a weapon**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	12.2	10.5	- 14.0	42.3	39.9	- 44.7	27.3	25.7	- 29.0
	8th	17.8	15.9	- 19.8	46.0	43.4	- 48.6	32.3	30.6	- 34.1
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	28.0	26.7	- 29.4
	Hispanic	--	--	--	--	--	--	38.7	35.8	- 41.8
	Other non-Hispanic	--	--	--	--	--	--	20.6	16.8	- 25.0
<b>Total</b>		14.9	13.6	- 16.3	44.1	42.4	- 45.9	29.8	28.6	- 31.0

\*\* 95% confidence interval

-- Not available

**Table 7. Percentage of students who have ever been in a physical fight**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	13.1	11.2	- 15.2	42.9	40.5	- 45.3	28.2	26.6	- 29.8
	8th	20.6	18.4	- 22.9	42.9	40.2	- 45.5	32.1	30.3	- 33.9
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	27.3	26.0	- 28.7
	Hispanic	--	--	--	--	--	--	40.8	37.8	- 43.9
	Other non-Hispanic	--	--	--	--	--	--	25.4	20.7	- 30.9
<b>Total</b>		16.7	15.3	- 18.3	42.9	41.1	- 44.7	30.1	28.9	- 31.3

\*\* 95% confidence interval

-- Not available

**Table 8. Percentage of students who felt so sad or hopeless almost every day for 2 weeks or more in a row that they stopped doing some usual activities during the past 12 months**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	19.3	17.2	- 21.7	14.6	13.1	- 16.2	17.0	15.6	- 18.4
	8th	23.7	21.7	- 25.7	8.4	6.9	- 10.2	15.8	14.5	- 17.1
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	14.9	13.9	- 16.0
	Hispanic	--	--	--	--	--	--	23.1	20.6	- 25.7
	Other non-Hispanic	--	--	--	--	--	--	10.5	8.2	- 13.5
<b>Total</b>		21.4	20.0	- 23.0	11.5	10.4	- 12.7	16.4	15.5	- 17.3

\*\* 95% confidence interval

-- Not available

**Table 9. Percentage of students who ever seriously thought about killing themselves**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	12.0	10.3	- 14.0	11.4	9.8	- 13.3	11.7	10.5	- 13.0
	8th	18.6	16.8	- 20.5	17.0	15.2	- 19.0	17.8	16.4	- 19.1
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	11.8	10.9	- 12.8
	Hispanic	--	--	--	--	--	--	28.1	25.5	- 30.8
	Other non-Hispanic	--	--	--	--	--	--	5.9	3.1	- 11.1
<b>Total</b>		15.2	13.9	- 16.5	14.2	12.9	- 15.5	14.7	13.8	- 15.6

\*\* 95% confidence interval

-- Not available

**Table 10. Percentage of students who ever made a plan about how they would kill themselves**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	11.3	9.6	- 13.3	10.2	8.9	- 11.5	10.7	9.7	- 11.9
	8th	12.6	11.3	- 14.1	10.1	8.7	- 11.7	11.3	10.3	- 12.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	8.4	7.6	- 9.1
	Hispanic	--	--	--	--	--	--	21.5	19.2	- 24.0
	Other non-Hispanic	--	--	--	--	--	--	9.9	7.2	- 13.5
<b>Total</b>		12.0	10.8	- 13.2	10.1	9.2	- 11.2	11.0	10.3	- 11.8

\*\* 95% confidence interval

-- Not available

**Table 11. Percentage of students who ever tried to kill themselves**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	5.8	4.4	- 7.5	1.9	1.5	- 2.4	3.8	3.1	- 4.7
	8th	6.3	5.1	- 7.8	2.4	1.6	- 3.5	4.3	3.6	- 5.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	3.1	2.6	- 3.7
	Hispanic	--	--	--	--	--	--	9.2	7.3	- 11.4
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		6.0	5.1	- 7.2	2.1	1.7	- 2.7	4.1	3.5	- 4.7

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 12. Percentage of students who ever tried cigarette smoking, even 1 or 2 puffs**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	2.7	1.8	- 4.1	5.6	4.7	- 6.7	4.2	3.5	- 5.0
	8th	7.2	5.9	- 8.7	8.5	7.4	- 9.9	7.9	7.0	- 8.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	3.6	3.2	- 4.2
	Hispanic	--	--	--	--	--	--	14.3	12.4	- 16.5
	Other non-Hispanic	--	--	--	--	--	--	9.6	6.9	- 13.3
<b>Total</b>		4.9	4.1	- 5.9	7.1	6.3	- 8.0	6.0	5.4	- 6.6

\*\* 95% confidence interval

-- Not available

**Table 13. Percentage of students who had their first whole cigarette before the age of 11**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	1.3	0.8	- 1.9	0.6	0.4	- 0.9
	8th	***	***	- ***	2.3	1.4	- 3.6	1.2	0.7	- 1.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	0.5	0.3	- 0.7
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	1.8	1.3	- 2.5	0.9	0.6	- 1.3

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 14. Percentage of students who smoked cigarettes on 1 or more of the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	2.2	1.7	- 2.7	1.9	1.4	- 2.5
	8th	1.5	1.0	- 2.3	1.9	1.2	- 3.0	1.7	1.2	- 2.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	0.9	0.6	- 1.2
	Hispanic	--	--	--	--	--	--	5.3	3.9	- 7.3
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		1.6	1.1	- 2.3	2.0	1.6	- 2.6	1.8	1.4	- 2.2

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 15. Percentage of students who smoked cigarettes on 20 or more of the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	***	***	- ***	***	***	- ***

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 16. Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	***	***	- ***	***	***	- ***

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 17. Among students who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	***	***	- ***	***	***	- ***

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 18. Percentage of students who ever smoked cigarettes daily, that is, at least 1 cigarette every day for 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	***	***	- ***	***	***	- ***

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 19. Percentage of students who felt it would be sort of easy/very easy to get cigarettes if they wanted**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	12.8	10.8	- 15.0	22.9	20.6	- 25.3	17.8	16.3	- 19.5
	8th	22.7	20.4	- 25.2	33.6	31.2	- 36.0	28.3	26.7	- 30.0
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	21.2	20.0	- 22.4
	Hispanic	--	--	--	--	--	--	38.7	35.2	- 42.3
	Other non-Hispanic	--	--	--	--	--	--	13.5	10.1	- 17.8
<b>Total</b>		17.7	16.2	- 19.3	28.3	26.7	- 30.0	23.1	22.0	- 24.3

\*\* 95% confidence interval

-- Not available

**Table 20. Percentage of students who used chewing tobacco, snuff, or dip on 1 or more of the past 30 days**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	***	***	-	***	***	-	***	***	-	***		
	8th	***	***	-	***	***	-	***	***	-	***		
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	0.4	0.3	-	0.7		
	Hispanic	--	--	--	--	--	--	***	***	-	***		
	Other non-Hispanic	--	--	--	--	--	--	***	***	-	***		
<b>Total</b>		***	***	-	***	1.1	0.7	-	1.7	0.7	0.5	-	1.0

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 21. Percentage of students who smoked a cigar, cigarillo, or little cigar during the past 30 days**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	***	***	-	***	***	-	***	0.8	0.5	-	1.2	
	8th	***	***	-	***	2.2	1.4	-	3.5	1.3	0.8	-	1.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	0.6	0.4	-	0.9	
	Hispanic	--	--	--	--	--	--	--	3.1	1.9	-	4.9	
	Other non-Hispanic	--	--	--	--	--	--	--	***	***	-	***	
<b>Total</b>		***	***	-	***	1.5	1.1	-	2.2	1.0	0.7	-	1.4

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 22. Percentage of students who smoked cigarettes or cigars, used chewing tobacco, snuff, or dip on 1 or more of past 30 days**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	2.3	1.4	-	3.8	2.4	2.0	-	3.0	2.4	1.8	-	3.1
	8th	2.4	1.7	-	3.4	2.5	1.6	-	3.7	2.4	1.8	-	3.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	1.4	1.1	-	1.9	
	Hispanic	--	--	--	--	--	--	--	6.3	4.6	-	8.4	
	Other non-Hispanic	--	--	--	--	--	--	--	***	***	-	***	
<b>Total</b>		2.4	1.7	-	3.2	2.4	1.9	-	3.1	2.4	2.0	-	2.9

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 23. Percentage of students who think people who smoke 1 or more packs of cigarettes per day have a moderate/great risk of harming themselves**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	93.5	91.8	-	94.9	91.2	89.2	-	92.8	92.4	91.1	-	93.4
	8th	96.8	95.6	-	97.6	92.6	91.4	-	93.7	94.6	93.8	-	95.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	95.7	95.1	-	96.3	
	Hispanic	--	--	--	--	--	--	--	83.2	80.4	-	85.7	
	Other non-Hispanic	--	--	--	--	--	--	--	99.6	99.5	-	99.6	
<b>Total</b>		95.1	94.0	-	95.9	91.9	90.8	-	92.9	93.5	92.7	-	94.1

\*\* 95% confidence interval

-- Not available

**Table 24. Percentage of students who think their parents would feel it is wrong/very wrong if they smoked cigarettes**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	97.8	96.6	- 98.6	97.7	96.7	- 98.4	97.7	97.0	- 98.3
	8th	98.2	97.5	- 98.7	96.9	95.3	- 98.0	97.6	96.7	- 98.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	98.5	98.1	- 98.9
	Hispanic	--	--	--	--	--	--	95.1	93.0	- 96.6
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		98.0	97.3	- 98.5	97.3	96.4	- 98.0	97.7	97.1	- 98.1

\*\* 95% confidence interval  
 -- Not available

**Table 25. Percentage of students who had ever had a drink of alcohol, other than a few sips**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	10.6	8.8	- 12.8	14.7	12.8	- 16.9	12.7	11.4	- 14.1
	8th	21.3	19.2	- 23.5	23.4	21.4	- 25.4	22.4	21.0	- 23.8
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	13.4	12.4	- 14.4
	Hispanic	--	--	--	--	--	--	36.1	33.0	- 39.4
	Other non-Hispanic	--	--	--	--	--	--	9.6	6.4	- 14.2
<b>Total</b>		15.8	14.4	- 17.3	19.1	17.7	- 20.5	17.5	16.5	- 18.5

\*\* 95% confidence interval  
 -- Not available

**Table 26. Percentage of students who had their first drink of alcohol other than a few sips before age 11 years**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	5.8	4.4	- 7.6	11.6	9.9	- 13.5	8.7	7.6	- 10.0
	8th	3.5	2.8	- 4.3	8.1	6.9	- 9.5	5.9	5.2	- 6.7
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	5.4	4.8	- 6.0
	Hispanic	--	--	--	--	--	--	16.0	13.4	- 18.9
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		4.6	3.8	- 5.6	9.8	8.8	- 11.0	7.3	6.6	- 8.0

\*\* 95% confidence interval  
 \*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%  
 -- Not available

**Table 27. Percentage of students who began drinking alcohol regularly (at least once or twice per month) before the age of 11 years**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	1.4	1.1	- 1.8
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	5.1	3.9	- 6.7
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	1.5	1.1	- 2.1	1.2	0.9	- 1.5

\*\* 95% confidence interval  
 \*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%  
 -- Not available

**Table 28. Percentage of students who had at least one drink of alcohol on 1 or more of the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	3.5	2.7	- 4.7	2.1	1.7	- 2.6	2.8	2.3	- 3.4
	8th	7.1	5.7	- 8.8	7.7	6.6	- 8.8	7.4	6.5	- 8.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	3.1	2.6	- 3.7
	Hispanic	--	--	--	--	--	--	13.0	11.3	- 14.8
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		5.2	4.4	- 6.2	4.9	4.3	- 5.5	5.0	4.5	- 5.6

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 29. Percentage of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours, on 1 or more of the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	2.0	1.3	- 2.9	2.4	1.6	- 3.5	2.2	1.6	- 2.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	0.7	0.5	- 1.0
	Hispanic	--	--	--	--	--	--	4.3	3.1	- 6.1
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		1.4	1.0	- 2.0	1.2	0.8	- 1.7	1.3	1.0	- 1.7

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 30. Percentage of students who think a typical student drank 1+ days in the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	25.3	22.8	- 28.0	22.2	20.2	- 24.4	23.7	22.1	- 25.4
	8th	39.1	36.5	- 41.7	24.9	22.6	- 27.4	31.7	30.0	- 33.5
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	27.1	25.8	- 28.5
	Hispanic	--	--	--	--	--	--	30.1	27.2	- 33.1
	Other non-Hispanic	--	--	--	--	--	--	25.8	20.7	- 31.6
<b>Total</b>		31.9	30.1	- 33.8	23.5	22.0	- 25.2	27.7	26.5	- 28.9

\*\* 95% confidence interval

-- Not available

**Table 31. Percentage of students who think a typical student binge drank 1+ days in the past 30 days\***

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	15.9	13.9	- 18.2	14.1	12.5	- 16.0	15.0	13.7	- 16.5
	8th	24.1	21.7	- 26.6	14.1	12.5	- 15.9	18.9	17.4	- 20.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	14.6	13.6	- 15.8
	Hispanic	--	--	--	--	--	--	23.0	20.6	- 25.6
	Other non-Hispanic	--	--	--	--	--	--	24.5	19.8	- 29.7
<b>Total</b>		19.8	18.2	- 21.5	14.1	13.0	- 15.4	16.9	15.9	- 18.0

\* Drank 5 or more drinks of alcohol in a row, in a couple of hours

\*\* 95% confidence interval

-- Not available

**Table 32. Percentage of students who feel it would be sort of easy/very easy to get alcohol if they wanted**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	20.5	18.3	- 22.8	35.2	32.9	- 37.6	27.8	26.2	- 29.5
	8th	45.2	42.7	- 47.8	53.5	51.0	- 56.1	49.5	47.7	- 51.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	37.4	36.1	- 38.8
	Hispanic	--	--	--	--	--	--	50.1	46.9	- 53.2
	Other non-Hispanic	--	--	--	--	--	--	24.1	19.6	- 29.2
<b>Total</b>		32.6	30.9	- 34.3	44.5	42.8	- 46.2	38.6	37.4	- 39.8

\*\* 95% confidence interval

-- Not available

**Table 33. Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	***	***	- ***
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	***	***	- ***
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		***	***	- ***	***	***	- ***	***	***	- ***

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 34. Percentage of students who usually drank in a public setting, on school property, or riding in a car of all students who drank in past 12 months**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	***	***	- ***	***	***	- ***	***	***	- ***
	8th	***	***	- ***	***	***	- ***	25.7	22.0	- 29.8
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	7.9	5.7	- 10.9
	Hispanic	--	--	--	--	--	--	***	***	- ***
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		24.0	19.5	- 29.1	13.1	10.2	- 16.7	18.0	15.4	- 20.9

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 35. Percentage of students who think people who have 1 or 2 drinks nearly every day have moderate/great risk of harming themselves**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	96.4	95.3	- 97.2	91.4	89.6	- 92.9	93.9	92.9	- 94.7
	8th	98.7	97.8	- 99.2	95.9	95.6	- 96.1	97.2	96.8	- 97.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	96.2	95.7	- 96.7
	Hispanic	--	--	--	--	--	--	93.4	91.2	- 95.0
	Other non-Hispanic	--	--	--	--	--	--	97.5	96.2	- 98.4
<b>Total</b>		97.5	96.8	- 98.0	93.6	92.7	- 94.4	95.5	95.0	- 96.0

\*\* 95% confidence interval

-- Not available

**Table 36. Percentage of students who think people who binge drink each weekend have moderate/great risk of harming themselves\***

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	82.4	80.2	- 84.3	73.3	70.9	- 75.5	77.8	76.2	- 79.3
	8th	86.8	85.1	- 88.3	75.4	72.8	- 77.8	80.9	79.3	- 82.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	80.9	79.6	- 82.0
	Hispanic	--	--	--	--	--	--	74.7	71.6	- 77.6
	Other non-Hispanic	--	--	--	--	--	--	77.0	72.2	- 81.1
<b>Total</b>		84.5	83.2	- 85.8	74.3	72.6	- 76.0	79.3	78.2	- 80.4

\* Drinking 5 or more drinks of alcohol once or twice each weekend

\*\* 95% confidence interval

-- Not available

**Table 37. Percentage of students who think it is wrong/very wrong for someone their age to drink alcohol regularly (once or twice a month)**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	95.8	94.3	- 96.9	88.0	85.8	- 89.9	91.9	90.6	- 93.1
	8th	91.9	90.5	- 93.1	90.7	89.2	- 92.0	91.3	90.3	- 92.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	93.9	93.2	- 94.5
	Hispanic	--	--	--	--	--	--	82.5	79.5	- 85.1
	Other non-Hispanic	--	--	--	--	--	--	97.3	96.5	- 97.9
<b>Total</b>		94.0	93.0	- 94.8	89.3	88.0	- 90.5	91.6	90.8	- 92.4

\*\* 95% confidence interval

-- Not available

**Table 38. Percentage of students who think their parents would feel it would be wrong/very wrong if they drank alcohol regularly (once or twice a month)**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	95.4	93.8	- 96.7	92.9	91.3	- 94.2	94.1	93.0	- 95.1
	8th	97.0	96.4	- 97.6	94.8	93.2	- 96.1	95.9	95.1	- 96.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	96.7	96.1	- 97.2
	Hispanic	--	--	--	--	--	--	89.5	87.0	- 91.7
	Other non-Hispanic	--	--	--	--	--	--	94.8	92.0	- 96.7
<b>Total</b>		96.2	95.3	- 96.9	93.8	92.7	- 94.8	95.0	94.3	- 95.6

\*\* 95% confidence interval

-- Not available

**Table 39. Percentage of students who ever used marijuana**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	2.8	1.8	- 4.2	5.4	4.5	- 6.6	4.1	3.4	- 4.9
	8th	9.1	7.6	- 10.9	13.3	11.7	- 15.0	11.2	10.1	- 12.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	5.2	4.6	- 6.0
	Hispanic	--	--	--	--	--	--	16.0	14.0	- 18.3
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		5.8	4.9	- 6.9	9.2	8.3	- 10.2	7.5	6.9	- 8.2

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 40. Percentage of students who tried marijuana for the first time before age 11 years**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	***	***	-	***	1.5	1.0	-	2.1	1.1	0.7	-	1.6
	8th	***	***	-	***	6.0	4.9	-	7.2	3.0	2.5	-	3.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	0.7	0.5	-	1.0
	Hispanic	--	--	--	--	--	--	--	--	7.2	5.9	-	8.7
	Other non-Hispanic	--	--	--	--	--	--	--	--	***	***	-	***
<b>Total</b>		***	***	-	***	3.6	3.1	-	4.3	2.0	1.7	-	2.4

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 41. Percentage of students who used marijuana 1 or more times during the past 30 days**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	2.0	1.2	-	3.3	3.2	2.4	-	4.2	2.6	2.0	-	3.4
	8th	7.0	5.8	-	8.5	11.9	10.4	-	13.6	9.5	8.5	-	10.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	3.6	3.0	-	4.3
	Hispanic	--	--	--	--	--	--	--	--	14.6	12.7	-	16.8
	Other non-Hispanic	--	--	--	--	--	--	--	--	***	***	-	***
<b>Total</b>		4.4	3.7	-	5.4	7.4	6.6	-	8.4	5.9	5.3	-	6.6

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 42. Percentage of students who feel it would be sort of/very easy to get marijuana if they wanted**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	9.7	8.0	-	11.8	14.5	13.1	-	16.0	12.1	11.0	-	13.4
	8th	25.2	22.9	-	27.7	33.0	30.6	-	35.6	29.2	27.5	-	30.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	18.6	17.5	-	19.7
	Hispanic	--	--	--	--	--	--	--	--	33.1	30.2	-	36.2
	Other non-Hispanic	--	--	--	--	--	--	--	--	4.6	3.0	-	7.2
<b>Total</b>		17.3	15.8	-	18.8	23.5	22.0	-	25.0	20.4	19.4	-	21.4

\*\* 95% confidence interval

-- Not available

**Table 43. Percentage of students who think people who use marijuana once or twice have moderate/great risk of harming themselves**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	73.3	71.1	-	75.4	69.3	66.8	-	71.7	71.3	69.7	-	72.9
	8th	66.8	64.3	-	69.1	50.3	47.6	-	53.0	58.4	56.5	-	60.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	66.5	65.1	-	67.8
	Hispanic	--	--	--	--	--	--	--	--	55.3	52.2	-	58.4
	Other non-Hispanic	--	--	--	--	--	--	--	--	71.2	66.5	-	75.6
<b>Total</b>		70.2	68.5	-	71.8	60.0	58.2	-	61.8	65.1	63.8	-	66.3

\*\* 95% confidence interval

-- Not available

**Table 44. Percentage of students who think people who use marijuana regularly have moderate/great risk of harming themselves**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	90.3	88.5	- 91.8	78.0	75.6	- 80.2	84.3	82.8	- 85.6
	8th	84.4	82.4	- 86.2	73.4	71.0	- 75.6	78.7	77.2	- 80.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	84.6	83.5	- 85.6
	Hispanic	--	--	--	--	--	--	67.2	64.1	- 70.1
	Other non-Hispanic	--	--	--	--	--	--	91.3	87.4	- 94.1
<b>Total</b>		87.5	86.2	- 88.7	75.7	74.1	- 77.3	81.6	80.5	- 82.6

\*\* 95% confidence interval

-- Not available

**Table 45. Percentage of students who think it is wrong/very wrong for someone their age to use marijuana**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	96.5	95.1	- 97.5	89.8	87.9	- 91.5	93.2	92.1	- 94.2
	8th	87.5	85.6	- 89.1	77.3	75.2	- 79.3	82.3	80.9	- 83.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	90.8	89.9	- 91.6
	Hispanic	--	--	--	--	--	--	76.3	73.6	- 78.8
	Other non-Hispanic	--	--	--	--	--	--	98.0	97.1	- 98.6
<b>Total</b>		92.2	91.1	- 93.2	83.7	82.3	- 85.0	88.0	87.1	- 88.8

\*\* 95% confidence interval

-- Not available

**Table 46. Percentage of students who think their parents would feel it would be wrong/very wrong if they used marijuana**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	98.0	96.7	- 98.8	97.6	96.7	- 98.3	97.8	97.1	- 98.4
	8th	95.2	94.0	- 96.2	93.8	92.1	- 95.2	94.5	93.5	- 95.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	96.9	96.3	- 97.4
	Hispanic	--	--	--	--	--	--	93.1	90.8	- 94.9
	Other non-Hispanic	--	--	--	--	--	--	98.9	98.1	- 99.4
<b>Total</b>		96.7	95.9	- 97.4	95.7	94.8	- 96.5	96.2	95.6	- 96.7

\*\* 95% confidence interval

-- Not available

**Table 47. Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	1.1	0.9	- 1.3	3.9	3.2	- 4.7	2.5	2.1	- 2.9
	8th	3.9	3.0	- 5.1	5.2	3.9	- 7.0	4.6	3.8	- 5.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	2.6	2.2	- 3.0
	Hispanic	--	--	--	--	--	--	8.1	6.5	- 10.1
	Other non-Hispanic	--	--	--	--	--	--	***	***	- ***
<b>Total</b>		2.4	2.0	- 3.0	4.5	3.8	- 5.5	3.5	3.0	- 4.0

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 48. Percentage of students who ever took a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax ) without a doctor's prescription**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	***	***	-	***	2.3	1.7	-	3.1	1.6	1.3	-	2.0
	8th	4.3	3.2	-	5.8	4.2	2.9	-	5.9	4.2	3.4	-	5.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	2.6	2.0	-	3.2
	Hispanic	--	--	--	--	--	--	--	--	4.6	3.4	-	6.3
	Other non-Hispanic	--	--	--	--	--	--	--	--	***	***	-	***
<b>Total</b>		2.5	2.0	-	3.2	3.2	2.5	-	4.1	2.9	2.4	-	3.4

\*\* 95% confidence interval

\*\*\* Rate suppressed because numerator<3, denominator<30, estimate = 0%, or estimate = 100%

-- Not available

**Table 49. Percentage of students who talked with parent about substance dangers during the past 12 months**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	64.5	61.9	-	67.0	61.1	58.8	-	63.4	62.8	61.1	-	64.5
	8th	49.6	47.1	-	52.1	52.3	49.7	-	54.8	51.0	49.2	-	52.7
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	57.9	56.5	-	59.3
	Hispanic	--	--	--	--	--	--	--	--	56.6	53.5	-	59.6
	Other non-Hispanic	--	--	--	--	--	--	--	--	46.0	40.6	-	51.5
<b>Total</b>		57.4	55.6	-	59.2	56.8	55.1	-	58.5	57.1	55.9	-	58.3

\*\* 95% confidence interval

-- Not available

**Table 50. Percentage of students who heard, read, or watched an advertisement about preventing tobacco, alcohol, or other drug use sometimes or a lot in past 12 months**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	60.3	57.7	-	62.9	61.3	58.9	-	63.6	60.8	59.0	-	62.5
	8th	58.0	55.4	-	60.6	63.6	60.9	-	66.1	60.8	59.0	-	62.7
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	61.1	59.6	-	62.5
	Hispanic	--	--	--	--	--	--	--	--	62.2	59.1	-	65.3
	Other non-Hispanic	--	--	--	--	--	--	--	--	59.4	53.7	-	64.9
<b>Total</b>		59.2	57.4	-	61.0	62.4	60.6	-	64.1	60.8	59.5	-	62.1

\*\* 95% confidence interval

-- Not available

**Table 51. Percentage of students who heard, read, or watched an advertisement about promoting tobacco, alcohol, or other drug use sometimes or a lot in past 12 months**

Group	Category	Female			Male			Total					
		%	CI**		%	CI**		%	CI**				
Grade	7th	28.9	26.6	-	31.3	31.8	29.9	-	33.9	30.4	28.8	-	31.9
	8th	38.4	36.0	-	40.9	50.5	47.9	-	53.1	44.5	42.7	-	46.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	--	--	37.6	36.3	-	39.0
	Hispanic	--	--	--	--	--	--	--	--	40.7	37.8	-	43.6
	Other non-Hispanic	--	--	--	--	--	--	--	--	34.9	29.6	-	40.6
<b>Total</b>		33.5	31.8	-	35.2	41.0	39.3	-	42.7	37.2	36.1	-	38.4

\*\* 95% confidence interval

-- Not available

**Table 52. Percentage of students who described themselves as slightly or very overweight**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	18.6	16.8	- 20.5	19.3	17.4	- 21.4	18.9	17.6	- 20.4
	8th	20.5	18.7	- 22.5	19.2	17.2	- 21.4	19.8	18.5	- 21.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	18.1	17.2	- 19.1
	Hispanic	--	--	--	--	--	--	23.8	21.0	- 26.9
	Other non-Hispanic	--	--	--	--	--	--	16.5	12.8	- 21.0
<b>Total</b>		19.5	18.2	- 20.9	19.3	17.9	- 20.7	19.4	18.4	- 20.4

\*\* 95% confidence interval  
 -- Not available

**Table 53. Percentage of students who were trying to lose weight**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	34.8	32.3	- 37.5	23.4	21.1	- 25.8	29.2	27.6	- 31.0
	8th	36.3	33.9	- 38.8	18.6	16.8	- 20.7	27.3	25.7	- 29.0
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	27.1	25.8	- 28.5
	Hispanic	--	--	--	--	--	--	32.8	29.9	- 35.9
	Other non-Hispanic	--	--	--	--	--	--	23.7	19.4	- 28.6
<b>Total</b>		35.5	33.8	- 37.3	21.0	19.6	- 22.6	28.3	27.2	- 29.5

\*\* 95% confidence interval  
 -- Not available

**Table 54. Percentage of students who ate fruit 1+ times per day in the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	61.5	58.9	- 64.1	58.7	56.3	- 61.1	60.1	58.4	- 61.8
	8th	58.8	56.2	- 61.3	62.6	59.9	- 65.2	60.7	58.8	- 62.5
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	64.2	62.7	- 65.6
	Hispanic	--	--	--	--	--	--	52.0	49.0	- 55.0
	Other non-Hispanic	--	--	--	--	--	--	55.4	49.7	- 60.9
<b>Total</b>		60.2	58.4	- 62.0	60.6	58.8	- 62.3	60.4	59.1	- 61.6

\*\* 95% confidence interval  
 -- Not available

**Table 55. Percentage of students who ate fruit 2+ times per day in the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	45.1	42.7	- 47.6	47.2	44.9	- 49.5	46.1	44.5	- 47.8
	8th	42.1	39.6	- 44.7	47.4	44.7	- 50.0	44.7	42.9	- 46.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	47.0	45.6	- 48.4
	Hispanic	--	--	--	--	--	--	41.3	38.3	- 44.3
	Other non-Hispanic	--	--	--	--	--	--	47.7	42.3	- 53.2
<b>Total</b>		43.7	41.9	- 45.5	47.3	45.5	- 49.0	45.5	44.2	- 46.7

\*\* 95% confidence interval  
 -- Not available

**Table 56. Percentage of students who ate vegetables 1+ times per day in the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	55.0	52.4	- 57.6	64.5	62.1	- 66.9	59.7	58.0	- 61.4
	8th	54.3	51.8	- 56.9	59.7	56.9	- 62.4	57.1	55.2	- 58.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	60.5	59.0	- 61.9
	Hispanic	--	--	--	--	--	--	46.2	43.3	- 49.1
	Other non-Hispanic	--	--	--	--	--	--	57.3	51.5	- 62.9
<b>Total</b>		54.7	52.9	- 56.5	62.2	60.3	- 64.0	58.4	57.2	- 59.7

\*\* 95% confidence interval  
 -- Not available

**Table 57. Percentage of students who ate vegetables 2+ times per day in the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	39.5	37.1	- 42.1	48.0	45.7	- 50.3	43.7	42.1	- 45.4
	8th	39.4	36.9	- 41.9	41.7	39.0	- 44.4	40.5	38.7	- 42.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	43.8	42.3	- 45.2
	Hispanic	--	--	--	--	--	--	34.9	32.2	- 37.7
	Other non-Hispanic	--	--	--	--	--	--	41.0	35.8	- 46.5
<b>Total</b>		39.5	37.7	- 41.3	44.9	43.2	- 46.7	42.2	41.0	- 43.4

\*\* 95% confidence interval  
 -- Not available

**Table 58. Percentage of students who drank a can, bottle, or glass of soda or pop 1 or more times per day during the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	7.9	6.4	- 9.7	16.0	13.8	- 18.4	11.9	10.6	- 13.3
	8th	6.3	5.2	- 7.6	21.4	19.1	- 24.0	14.0	12.6	- 15.4
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	10.3	9.4	- 11.4
	Hispanic	--	--	--	--	--	--	24.5	21.7	- 27.6
	Other non-Hispanic	--	--	--	--	--	--	8.5	5.5	- 12.8
<b>Total</b>		7.1	6.2	- 8.2	18.6	17.0	- 20.4	12.9	11.9	- 13.9

\*\* 95% confidence interval  
 -- Not available

**Table 59. Percentage of students who ate breakfast on all of the past seven days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	58.9	56.3	- 61.5	68.1	65.7	- 70.5	63.5	61.8	- 65.1
	8th	61.0	58.6	- 63.4	70.4	67.7	- 73.0	65.8	64.0	- 67.5
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	68.5	67.1	- 69.8
	Hispanic	--	--	--	--	--	--	50.5	47.6	- 53.3
	Other non-Hispanic	--	--	--	--	--	--	67.3	61.2	- 72.9
<b>Total</b>		59.9	58.1	- 61.7	69.3	67.5	- 71.0	64.6	63.4	- 65.8

\*\* 95% confidence interval  
 -- Not available

**Table 60. Percentage of students who were physically active for a total of at least 60 minutes per day on all 7 of the past 7 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	43.4	41.0	- 45.9	53.2	50.9	- 55.6	48.3	46.6	- 49.9
	8th	33.2	30.7	- 35.9	48.5	45.9	- 51.2	41.0	39.1	- 42.8
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	47.0	45.5	- 48.4
	Hispanic	--	--	--	--	--	--	36.1	33.2	- 39.1
	Other non-Hispanic	--	--	--	--	--	--	39.3	34.4	- 44.5
<b>Total</b>		38.6	36.9	- 40.4	51.0	49.2	- 52.7	44.8	43.5	- 46.0

\*\* 95% confidence interval  
 -- Not available

**Table 61. Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	65.6	63.0	- 68.1	79.1	77.0	- 81.0	72.2	70.6	- 73.8
	8th	76.7	74.4	- 78.7	75.5	73.3	- 77.5	76.1	74.5	- 77.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	78.4	77.2	- 79.6
	Hispanic	--	--	--	--	--	--	59.4	56.4	- 62.4
	Other non-Hispanic	--	--	--	--	--	--	69.5	64.0	- 74.5
<b>Total</b>		70.8	69.0	- 72.5	77.3	75.9	- 78.8	74.1	72.9	- 75.2

\*\* 95% confidence interval  
 -- Not available

**Table 62. Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past 7 days**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	7.9	6.4	- 9.7	4.1	3.1	- 5.5	6.0	5.1	- 7.1
	8th	1.2	1.0	- 1.4	3.0	2.3	- 4.0	2.1	1.7	- 2.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	3.5	2.9	- 4.2
	Hispanic	--	--	--	--	--	--	7.0	5.7	- 8.6
	Other non-Hispanic	--	--	--	--	--	--	.	.	- .
<b>Total</b>		4.8	4.0	- 5.7	3.6	2.9	- 4.4	4.2	3.6	- 4.8

\*\* 95% confidence interval  
 -- Not available

**Table 63. Percentage of students who watched TV three or more hours per day on an average school day**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	13.2	11.2	- 15.5	13.3	11.4	- 15.5	13.3	11.9	- 14.8
	8th	8.1	6.8	- 9.6	13.8	11.9	- 15.9	11.0	9.8	- 12.3
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	9.4	8.5	- 10.5
	Hispanic	--	--	--	--	--	--	21.4	18.9	- 24.2
	Other non-Hispanic	--	--	--	--	--	--	10.6	7.6	- 14.5
<b>Total</b>		10.8	9.6	- 12.2	13.5	12.1	- 15.0	12.2	11.2	- 13.2

\*\* 95% confidence interval  
 -- Not available

**Table 64. Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	16.2	14.0	- 18.5	19.7	17.6	- 22.0	17.9	16.4	- 19.5
	8th	13.5	12.0	- 15.0	22.6	20.4	- 24.8	18.1	16.7	- 19.5
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	15.5	14.4	- 16.6
	Hispanic	--	--	--	--	--	--	23.1	20.4	- 26.0
	Other non-Hispanic	--	--	--	--	--	--	21.8	18.1	- 26.1
<b>Total</b>		14.9	13.6	- 16.3	21.1	19.6	- 22.7	18.0	17.0	- 19.0

\*\* 95% confidence interval

-- Not available

**Table 65. Percentage of students who had screen time for three or more hours per day on an average school day**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	28.4	25.9	- 30.9	34.9	32.6	- 37.4	31.6	29.9	- 33.3
	8th	32.3	29.9	- 34.9	37.2	34.6	- 39.9	34.8	33.0	- 36.7
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	30.5	29.1	- 32.0
	Hispanic	--	--	--	--	--	--	39.5	36.5	- 42.6
	Other non-Hispanic	--	--	--	--	--	--	43.4	38.0	- 48.9
<b>Total</b>		30.2	28.5	- 32.0	36.0	34.3	- 37.9	33.1	31.9	- 34.4

\*\* 95% confidence interval

-- Not available

**Table 66. Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	68.5	66.1	- 70.7	75.4	73.4	- 77.3	71.9	70.5	- 73.2
	8th	78.2	77.0	- 79.3	80.9	78.7	- 82.8	79.5	78.4	- 80.6
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	77.0	76.0	- 78.0
	Hispanic	--	--	--	--	--	--	72.2	69.5	- 74.7
	Other non-Hispanic	--	--	--	--	--	--	66.3	61.3	- 71.0
<b>Total</b>		73.1	71.7	- 74.4	78.0	76.6	- 79.4	75.5	74.7	- 76.4

\*\* 95% confidence interval

-- Not available

**Table 67. Percentage of students who played on 1 or more sports teams during the past 12 months**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	76.0	73.6	- 78.2	80.7	78.7	- 82.6	78.3	76.7	- 79.8
	8th	78.9	76.9	- 80.8	72.7	70.4	- 74.9	75.8	74.3	- 77.2
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	78.9	77.7	- 80.1
	Hispanic	--	--	--	--	--	--	71.1	68.4	- 73.7
	Other non-Hispanic	--	--	--	--	--	--	66.6	60.4	- 72.3
<b>Total</b>		77.4	75.8	- 78.9	76.8	75.3	- 78.3	77.1	76.0	- 78.1

\*\* 95% confidence interval

-- Not available

**Table 68. Percentage of students who had ever been taught in school about AIDS or HIV infection**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	31.9	29.6	- 34.3	40.0	38.1	- 41.9	35.9	34.6	- 37.2
	8th	75.2	72.8	- 77.5	74.7	71.9	- 77.3	75.0	73.1	- 76.7
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	57.2	55.9	- 58.5
	Hispanic	--	--	--	--	--	--	48.3	45.4	- 51.3
	Other non-Hispanic	--	--	--	--	--	--	49.4	44.0	- 54.8
<b>Total</b>		52.5	50.8	- 54.1	56.6	54.9	- 58.3	54.5	53.4	- 55.6

\*\* 95% confidence interval  
 -- Not available

**Table 69. Percentage of students who had ever been told by a doctor or nurse that they had asthma**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	15.5	13.6	- 17.6	21.3	19.6	- 23.2	18.4	17.1	- 19.7
	8th	18.5	16.7	- 20.5	22.4	19.9	- 25.2	20.4	18.8	- 22.1
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	18.2	17.1	- 19.3
	Hispanic	--	--	--	--	--	--	21.6	18.8	- 24.7
	Other non-Hispanic	--	--	--	--	--	--	14.5	10.9	- 19.2
<b>Total</b>		16.9	15.6	- 18.3	21.9	20.3	- 23.5	19.4	18.3	- 20.4

\*\* 95% confidence interval  
 -- Not available

**Table 70. Percentage of students who described their grades as mostly A's or B's over the past 12 months**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	82.4	80.1	- 84.5	82.8	80.7	- 84.7	82.6	81.1	- 84.0
	8th	91.3	89.8	- 92.6	82.5	80.5	- 84.4	86.8	85.6	- 88.0
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	92.2	91.5	- 92.9
	Hispanic	--	--	--	--	--	--	61.9	58.8	- 65.0
	Other non-Hispanic	--	--	--	--	--	--	81.8	76.7	- 85.9
<b>Total</b>		86.5	85.1	- 87.8	82.7	81.2	- 84.0	84.6	83.6	- 85.5

\*\* 95% confidence interval  
 -- Not available

**Table 71. Percentage of students who participate in extracurricular activities\***

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
Grade	7th	73.0	70.6	- 75.3	70.9	68.7	- 73.0	72.0	70.3	- 73.5
	8th	76.7	74.4	- 78.8	57.5	54.8	- 60.2	67.1	65.3	- 68.9
Race/Ethnicity	White non-Hispanic	--	--	--	--	--	--	70.4	69.0	- 71.7
	Hispanic	--	--	--	--	--	--	67.9	65.2	- 70.6
	Other non-Hispanic	--	--	--	--	--	--	70.3	64.6	- 75.5
<b>Total</b>		74.8	73.1	- 76.4	64.5	62.7	- 66.2	69.7	68.5	- 70.8

\* Such as sports, band, drama, clubs, or student government  
 \*\* 95% confidence interval  
 -- Not available

**Table 72. Percentage of students who think it is important to go to college**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	95.6	94.2	- 96.7	97.5	97.4	- 97.6	96.5	95.8	- 97.1
	8th	95.3	94.4	- 96.1	98.9	98.7	- 99.1	97.1	96.6	- 97.5
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	98.1	97.8	- 98.4
	Hispanic	--	--	--	--	--	--	93.1	91.6	- 94.4
	Other non-Hispanic	--	--	--	--	--	--	92.8	90.1	- 94.8
<b>Total</b>		95.5	94.7	- 96.2	98.2	98.1	- 98.3	96.8	96.4	- 97.2

\*\* 95% confidence interval

-- Not available

**Table 73. Percentage of students who feel things they are learning in school now are going to be very/quite important later in life**

Group	Category	Female			Male			Total		
		%	CI**		%	CI**		%	CI**	
<b>Grade</b>	7th	93.8	92.3	- 95.0	88.0	86.0	- 89.7	91.0	89.8	- 92.0
	8th	83.4	81.2	- 85.4	85.7	84.0	- 87.2	84.6	83.2	- 85.8
<b>Race/Ethnicity</b>	White non-Hispanic	--	--	--	--	--	--	87.5	86.5	- 88.5
	Hispanic	--	--	--	--	--	--	86.0	83.6	- 88.0
	Other non-Hispanic	--	--	--	--	--	--	87.1	83.8	- 89.8
<b>Total</b>		88.9	87.7	- 90.1	86.9	85.6	- 88.1	87.9	87.0	- 88.7

\*\* 95% confidence interval

-- Not available